## SEARCH REQUEST FORM

## Scientific and Technical Information Center

Art Unit: Phone Nu Mail Box and Bldg/Room Location:	10 1 10 1 10 10 10 10 10 10 10 10 10 10	Serial Number: Date Job (Serial Number: PAPER DISK E	-MAIL
If more than one search is submit	ted, please prioritiz	ze searches in order of need.	****
Please provide a detailed statement of the se	earch topic, and describe ywords, synonyms, acror nat may have a special me	as specifically as possible the subject matter to be search nyms, and registry numbers, and combine with the conce eaning. Give examples or relevant citations, authors, etc	ned. pt or
Title of Invention:			
Inventors (please provide full names):			
Earliest Priority Filing Date:			
*For Sequence-Searches Only* Please include appropriate serial number.	all pertinent information (	(parent, child, divisional, or issued patent numbers) along wit	th the
Peti- Hendin or l	terrative in S	Fig. 1. Ehmles.	
		·	
	· ·		
********	*********	**********	*
	Type of Search	Vendors and cost where applicable	•
Searcher:	NA Sequence (#)	STN	
Searcher Phone #:	AA Sequence (#)	Dialog	<u> </u>
Searcher Location:	Structure (#)	Questel/Orbit	-
Date Searcher Picked Up:	Bibliographic 2	br.Link	
Date Completed: 5-28-03	Litigation	Lexis/Nexis	
·	•		
Searcher Prep & Review Time:	Fulltext	Sequence Systems	
Clerical Prep Time:	Fulltext Patent Family	Sequence Systems	

PTO-1590 (8-01)

Docket No.: 2328.2003-001

le: Polymerization of Aromatic... ventors: Sukant Tripathy, et al.

Figure 1


PEG-Hematin

20

## **CLAIMS**

## What is claimed is:

- 1. A compound comprising hematin derivatized with one or more nonproteinaceous amphipathic groups.
- 5 2. The compound of Claim 1, wherein said compound is soluble in solutions ranging from pH 1 to pH 12.
  - 3. The compound of Claim 1, wherein the amphipathic group is a substituted or unsubstituted polyalkylene glycol.
- 4. The compound of Claim 3, wherein the polyalkylene glycol is substituted or unsubstituted polyethylene glycol.
  - 5. The compound of Claim 4, wherein polyethylene glycol groups have a molecular weight of about 400 to about 100,000.
- 6. A method of polymerizing an aromatic monomer, comprising combining an aromatic monomer with a hematin catalyst, wherein the hematin catalyst has been derivatized with one or more non-proteinaceous amphipathic groups.
  - 7. The method of Claim 6, further comprising combining a peroxide initiator with the aromatic monomer and the derivatized hematin.
  - 8. The method of Claim 7, further comprising a template, wherein the aromatic monomer aligns along said template and polymerizes to form a complex comprising the polymerized aromatic monomer and the template.



TERMINAL DISCLAIMER	DRAWINGS			CLAIMS ALLOWED	
	Sheets Drwg.	Figs. Drwg.	Print Fig.	Total Claims	Print Claim for O.G.
Th term of this patent subsequent to (date)				NOTICE OF ALLOWANCE MAILED	
has b en disclaimed.	(Assistant Examiner)		(Date)	ate)	
☐ The term of this patent shall	<u>.</u>				
not extend beyond the expiration date of U.S Patent. No				ISS	UE FEE